



NorStone


CIKOR













Update 2015-08-07


A x1




B x2 (2m/6,5 ft)




C x1




ATTENTION : Il peut y avoir des problèmes de compatibilité avec certains boîtiers Canal + de dernière génération.
WARNING : There may be compatibility issues with some latest generation decoders.








4 max.

3



B
C.





7cm : 3”


B


4


Cikor IR receiver
C
A
B
Power Adaptor Input: DC5V
IR Receiver
IR Receiver
IR Emitter
IR
• Distance IR Emitters / TV : 30cm (1ft)
• Distance IR Receiver / IR Emitters : 50cm (1,64 ft)

Manuel d'Ajustements du Cikor




Ajuster la Position de la Porte




DÉSERRER LA GROSSE VIS

1




AJUSTER AVEC LA PETITE VIS

2




RESERRER LA GROSSE VIS

3




Ajuster le mécanisme de fermeture de la porte




MAUVAISE FERMERTURE

1




2




BONNE FERMETURE

3



Ajuster le tiroir

A Le panneau du tiroir




DÉSERRER LES 6 VIS

1



AJUSTER LE PANNEAU


2



RESERRER LES 6 VIS


3

B La position du tiroir




RETIRER LE PLASTIQUE PUIS SOULEVER LE TIROIR

1



AJUSTER LA HAUTEUR

2





REMETTRE EN PLACE LE TIROIR PUIS LE PLASTIQUE

3

Cikor Adjustements Manual


Door Position Adjustements






UNTIGHT THE BIG SCREW

1



ADJUST WITH THE SMALL SCREW


2




TIGHTEN THE BIG SCREW

3


Closing Mecanism Adjustements






NOT GOOD

1




2




GOOD

3

Drawer Adjustements



A Drawer Panel




UNTIGHT THE 6 SCREWS

1



ADJUST THE PANEL


2



TIGHTEN THE 6 SCREWS


3

B Drawer Position




REMOVE FIRST THE PLASTIC THEN THE DRAWER

1



ADJUST THE HEIGHT

2



PUT FIRST THE DRAWER THEN THE PLASTIC BACK ON

3