

HECO®



BUYER'S GUIDE 2023

TRUE SOUND. NOTHING ELSE.

HECO is a brand name that represents a rich and long tradition in German speaker production. Ever since the day the company was founded more than 70 years ago, it has been committed to the uncompromising, high-quality reproduction of music in the home environment.



1949

HECO is founded by Mr. Hennel from **Hennel & Co. KG**, in the famous German Taunus region.

1960s

HECO presents its model «**B 130**», one of the first **compact real hi-fi speakers**.



1970s

HECO establishes itself in broadcasting organizations with its studio monitors and thus becomes one of the most renowned manufacturers in Germany.

The **HECO Aktiv 2000 K** was the standard in **professional studios** for decades.




1999

A new flagship for **HECO's** 50th birthday: The **HECO Anniversary!**

2017

HECO combines cutting-edge technology with classic concepts in its exceptional **Direkt Einklang** speaker.



1951

The Mighty **HECO** «Orchester» type **C 16** with **AINiCo** 400 magnet is released.

1965

Thanks to the «**B 130**», **HECO** is already established as one of the most successful speaker bands.



1981

By launching the **HECO Precision 300**, **HECO** made fundamental improvements to their loudspeakers, crossovers and cabinets.

2005

HECO makes the definitive leap in terms of securing its status as a premium speaker producer thanks to its **Celan** series.



2023

HECO is now part of the **Premium Audio Company**.

PREMIUM **AUDIO** CO.

TABLE OF CONTENTS

LA DIVA	4
BELLA DONNA	6
CELAN REVOLUTION SERIES	8
IN VITA SERIES	12
AURORA SERIES	14
AMBIENT SERIES	19
VICTA ELITE SERIES	22
200 AM - ATMOS SPEAKER	26



The HECO high end flagship

Streamlined cabinet with **real piano lacquer**

Solid aluminium base plate, side struts and die-cast baskets

Newly developed and selected Fluktus tweeter

New midrange with **AlNiCo magnet system**

2 woofers with 32 mm **high-performance voice coil** and 4 passive radiators

Tweeter level and midrange adjustment «2 dB» and «Tri-Wiring» option



La Diva

FLOORSTANDING SPEAKER



PRINCIPLE	3 way, quad bass radiator
DRIVERS	2 x 8" woofer, 1 x 6.5" midrange 1" dome-tweeter, 4 x 8" bass radiators (sidefire)
POWER HANDLING (RMS/Max)	300 / 550 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RESPONSE	17 - 52.500 Hz
CROSSOVER FREQUENCIES	290 Hz, 2.750 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 550 W
SENSITIVITY	93 dB
DIMENSIONS (WxHxD)	385 x 1340 x 465 mm (incl. feet and terminal)
WEIGHT	49.8 kg

Shipping quantity: Single
Product number: D1350950 (Piano Black)



Audiophile high-end two-way loudspeaker

Unique chassis technology with newly developed woofers and tweeters

200 mm kraft paper woofer and 30 mm silk compound dome tweeter

Sturdy bass reflex housing with panels up to 25 mm thick and an exclusive visual appearance

Connecting terminal with optional bi-wiring and treble adjustment

Massive and perfect matching aluminium stand included



Bella Donna

BOOKSHELF SPEAKERS
WITH STANDS



PRINCIPLE	2 way, bass reflex
EQUIPMENT	1 x 8" woofer-midrange, 1" dome-tweeter
POWER HANDLING (RMS/Max)	150 / 250 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	28 – 52.000 Hz
FREQUENCY RESPONSE	+3/-6 dB : 34 – 38.000 Hz
CROSSOVER FREQUENCIES	2.600 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 – 250 W
SENSITIVITY	91 dB
COLOR STAND	Matt Aluminium / Black
SPEAKER DIMENSIONS (WxHxD)	276 x 450 x 462 mm
STAND DIMENSIONS (WxHxD)	310 x 640 x 475 mm
SPEAKER WEIGHT	17.8 kg
STAND WEIGHT	17.5 kg

Shipping quantity: Set

Product number: D1350960 (Iced Silver / Sunrise Cherry)

CELAN REVOLUTION SERIES



Visual and sound revolution of an audiophile legend

Modern design combined with stylish surfaces

Floorstanding speaker with solid aluminium cross beams
with **height-adjustable** metal cone spikes

New Fluktus tweeter with 30 mm PFC dome and computer-optimised
multi-corrugated front panel for **perfect dispersion characteristics**

Woofer and midrange with HECO kraft paper cone for
audiophile music reproduction

High-quality connecting terminal with solid,
gold-plated and capsulated screw connectors

Cloth-protection cover with hidden magnetic mounts

High-performance powered subwoofer with 30 cm
long-throw woofer and high-power class D amplifier



CELAN REVOLUTION SERIES



Celan Revolution 9

FLOORSTANDING SPEAKER

PRINCIPLE	3-way bass reflex, Floorstanding Speaker
EQUIPMENT	2 x 8" woofer, 1 x 6.5" midrange, 1" dome-tweeter
POWER HANDLING (RMS/Max)	280 / 450 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RESPONSE	19 - 52000 Hz
CROSSOVER FREQUENCIES	230 Hz, 2800 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 450 W
SENSITIVITY	93 dB
CABINET SURFACE	Piano Black / White Satin / Espresso Veneer
DIMENSIONS (WxHxD)	374 x 1272 x 440 mm incl. feet and terminal
WEIGHT	38.4 kg

Shipping quantity: Single

Product number: D1329030 (Piano Black)
D1329032 (White Satin)
D1329034 (Espresso Veneer)



Celan Revolution 7

FLOORSTANDING SPEAKER

PRINCIPLE	3-way bass reflex, Floorstanding Speaker
EQUIPMENT	2 x 6.5" woofer, 1 x 6.5" midrange, 1" dome-tweeter
POWER HANDLING (RMS/Max)	220 / 350 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RESPONSE	21 - 52000 Hz
CROSSOVER FREQUENCIES	250 Hz, 2800 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 350 W
SENSITIVITY	92 dB
CABINET SURFACE	Piano Black / White Satin / Espresso Veneer
DIMENSIONS (WxHxD)	320 x 1182 x 390 mm incl. feet and terminal
WEIGHT	29.5 kg

Shipping quantity: Single

Product number: D1329020 (Piano Black)
D1329022 (White Satin)
D1329024 (Espresso Veneer)

CELAN REVOLUTION SERIES



Celan Revolution 3

BOOKSHELF SPEAKERS

PRINCIPLE	2-way bass reflex, Bookshelf Speaker
EQUIPMENT	1 x 6.5" woofer-midrange, 1" dome-tweeter
POWER HANDLING (RMS/Max)	100 / 160 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RESPONSE	30 - 52000 Hz
CROSSOVER FREQUENCIES	2800 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 160 W
SENSITIVITY	90 dB
CABINET SURFACE	White Satin / Espresso Veneer
DIMENSIONS (WxHxD)	240 x 420 x 360 mm incl. feet and terminal
WEIGHT	10.4 kg

Shipping quantity: Pair

Product number: D1329012 (White Satin)
D1329014 (Espresso Veneer)



Celan Revolution 4

CENTER CHANNEL

PRINCIPLE	2-way bass reflex, Center Speaker
EQUIPMENT	2 x 6.5" woofer-midrange, 1" dome-tweeter
POWER HANDLING (RMS/Max)	120 / 180 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RESPONSE	30 - 52000 Hz
CROSSOVER FREQUENCIES	2800 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 180 W
SENSITIVITY	90 dB
CABINET SURFACE	White Satin / Espresso Veneer
DIMENSIONS (WxHxD)	598 x 212 x 360 mm incl. feet and terminal
WEIGHT	15.0 kg

Shipping quantity: Single

Product number: D1329042 (White Satin)
D1329044 (Espresso Veneer)

CELAN REVOLUTION SERIES

Celan Revolution 32 A

SUBWOOFER



PRINCIPLE	Powered bass reflex subwoofer
EQUIPMENT	12" powered subwoofer
POWER HANDLING (RMS/Max)	280 / 500 W
FREQUENCY RESPONSE	18 - 150 Hz
CROSSOVER FREQUENCIES	50 - 150 Hz adjustable
CABINET SURFACE	Piano Black / White Satin / Espresso Veneer
DIMENSIONS (WxHxD)	400 x 610 x 535 mm (incl. feet and terminal)
WEIGHT	27.1 kg

Shipping quantity: Single

Product number: D1329050 (Piano Black)

D1329052 (White Satin)

D1329054 (Espresso Veneer)



A new standard in sound quality

Front and top panels in high-quality **high gloss lacquer** finish,
side and rear panels with satin finish (C-Shape)

Amplitude and phase optimized crossover equipped with **high quality components**

Bass reflex construction with **airflow-optimised** and screwed reflex tubes

Woofer, midrange and woofer-midrange with light long-fibre cones, flat long-fibre
dustcaps, long-throw surrounds and **high-performance voice coils**,
optimised for low-distortion signal transmission



IN VITA SERIES



In Vita 9

FLOORSTANDING SPEAKER

PRINCIPLE	3 way floorstand speaker, bass reflex
EQUIPMENT	3 x 6.5" woofer, 1 x 6.5" midrange, 1" dome-tweeter
POWER HANDLING (RMS/Max)	240 / 380 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	23 - 43.000 Hz
CROSSOVER FREQUENCIES	350 Hz, 3.000 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 380 W
SENSITIVITY	92 dB
CABINET COLOR	Piano black & Satin Black / Piano White & Satin White
DIMENSIONS (WxHxD)	290 x 1150 x 393 mm (incl. terminal and spikes)
WEIGHT	27.7 kg

Shipping quantity: Single

Product number: D160002 (Black)
D160003 (White)



In Vita 3

BOOKSHELF SPEAKERS

PRINCIPLE	2 way bookshelf speaker, bass reflex
EQUIPMENT	1 x 6.5" woofer-midrange, 1" dome-tweeter
POWER HANDLING (RMS/Max)	90 / 160 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	30 - 43.000 Hz
CROSSOVER FREQUENCIES	2.800 Hz
RECOMMENDED AMPLIFIER OUTPUT	20 - 160 W
SENSITIVITY	90 dB
CABINET COLOR	Piano black & Satin Black / Piano White & Satin White
DIMENSIONS (WxHxD)	205 x 377 x 333 mm (incl. terminal)
WEIGHT	9.1 kg

Shipping quantity: Pair

Product number: D160001P (Black)
D160000P (White)

AURORA SERIES



Outstanding sound characteristics and innovative technology

Modern design : Silk-matt lacquer combined with modern wood decors

New Fluktus Tweeter with 28 mm fabric dome and computer-optimised multi-corrugated front panel for **perfect dispersion characteristics**

Woofer and midrange with HECO kraft paper membranes for neutrality and natural tones

Removable cloth protection cover with hidden magnetic mounts

Solid crossbeams at the base with **height-adjustable** massive aluminium cone spikes



AURORA SERIES



Aurora 1000

FLOORSTANDING SPEAKER

PRINCIPLE	3 way bass reflex
EQUIPMENT	2 x 8" woofer, 1 x 6.5" mm midrange, 1" dome-tweeter
POWER HANDLING (RMS/Max)	230 / 380 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	22 - 42.500 Hz
CROSSOVER FREQUENCIES	260 Hz, 3.300 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 380 W
SENSITIVITY	93 dB
CABINET COLOR	Ebony Black, Ivory White
DIMENSIONS (WxHxD)	305 x 1258 x 393 mm
WEIGHT	26.6 kg

Shipping quantity: Single

Product number: D1348030 (Ebony Black)
D1348032 (Ivory White)



Aurora 900 AM

FLOORSTANDING SPEAKER WITH DOLBY ATMOS TECHNOLOGY

PRINCIPLE	2 way bass reflex, 2 way coaxial
DRIVERS	2 x 170mm woofer, 1 x 170 mm midrange 1 x 28 mm dome tweeter, 1 x 125 mm coaxial speaker
POWER HANDLING (RMS/Max)	Main : 200 / 300 W - Dolby Atmos Speaker : 60 / 100 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	Main : 25 - 42.500 Hz - Dolby Atmos Speaker : 30 - 35.000 Hz
CROSSOVER FREQUENCIES	Main : 290 Hz, 3.300 Hz - Dolby Atmos Speaker : 8.500 Hz
RECOMMENDED AMPLIFIER OUTPUT	Main : 30 - 300 W - Dolby Atmos Speaker : 15 - 100 W
SENSITIVITY	Main : 91 dB - Dolby Atmos Speaker : 88 dB
CABINET COLOR	Ebony Black / Ivory White
DIMENSIONS (WxHxD)	265 x 1170 x 363 mm (incl. spikes and terminal)
WEIGHT	22.8 kg

Shipping quantity: Single

Product number: D1348034 (Ebony Black)
D1348036 (Ivory White)

AURORA SERIES



Aurora 700

FLOORSTANDING SPEAKER

PRINCIPLE	3 way bass reflex
EQUIPMENT	2 x 6.5" woofer, 1 x 6.5" midrange, 1" dome-tweeter
POWER HANDLING (RMS/Max)	200 / 300 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	25 - 42.500 Hz
CROSSOVER FREQUENCIES	290 Hz, 3.300 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 300 W
SENSITIVITY	92 dB
CABINET COLOR	Ebony Black / Ivory White
DIMENSIONS (WxHxD)	265 x 1158 x 343 mm
WEIGHT	19.9 kg

Shipping quantity: Single

Product number: D1348020 (Ebony Black)
D1348022 (Ivory White)



Aurora 300

COMPACT BOOKSHELF SPEAKERS

PRINCIPLE	2 way bass reflex
EQUIPMENT	1 x 6.5" woofer-midrange
POWER HANDLING (RMS/Max)	80 / 150 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	32 - 42.500 Hz
CROSSOVER FREQUENCIES	3.300 Hz
RECOMMENDED AMPLIFIER OUTPUT	20 - 150 W
SENSITIVITY	90 dB
CABINET COLOR	Ebony Black / Ivory White
DIMENSIONS (WxHxD)	195 x 357 x 333 mm (incl. terminal)
WEIGHT	7.5 kg

Shipping quantity: Pair

Product number: D1348010 (Ebony Black)
D1348012 (Ivory White)

AURORA SERIES

Aurora 200 P

ACTIVE BOOKSHELF SPEAKERS



PRINCIPLE	2-way bass reflex, active
EQUIPMENT	1 x 5" woofer-midrange
POWER HANDLING (RMS/Max)	Active
OUTPUT POWER (RMS/Max)	2 x 35 W / 2 x 70 W
IMPEDANCE	4 - 8 Ohms
INPUT IMPEDANCE	100 kOhms (AUX input) - 20 kOhms (LINE/PHOTO input)
FREQUENCY RESPONSE	38 - 42.500 Hz
CROSSOVER FREQUENCIES	3.400 Hz
MAINS VOLTAGE/FREQUENCY	100 - 240V / 50 - 60 Hz
CABINET SURFACE	Black Edition
DIMENSIONS (WxHxD) (active speaker)	170 x 308 x 258 mm
DIMENSIONS (WxHxD) (passive speaker)	170 x 308 x 245 mm
WEIGHT (active speaker)	5.8 kg
WEIGHT (passive speaker)	5.2 kg

Shipping quantity: Pair

Product number: D1348004P (Black Edition)

Aurora Center 30

CENTER CHANNEL



PRINCIPLE	2-way bass reflex
EQUIPMENT	2 x 5" woofer-midrange
POWER HANDLING (RMS/Max)	90 / 150 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RESPONSE	34 - 42.500 Hz
CROSSOVER FREQUENCIES	3300 Hz
RECOMMENDED AMPLIFIER OUTPUT	20 - 150 W
SENSITIVITY	90 dB
CABINET SURFACE	Ebony Black / Ivory White
DIMENSIONS (WxHxD)	490 x 177 x 303 mm
WEIGHT	9.4 kg

Shipping quantity: Single

Product number: D1348040 (Ebony Black)
D1348042 (Ivory White)

Aurora Sub 30 A

SUBWOOFER



PRINCIPLE	Powered bass reflex subwoofer
EQUIPMENT	12" powered subwoofer
POWER HANDLING (RMS/Max)	125 / 250 W
FREQUENCY RESPONSE	20 - 150 Hz
CROSSOVER FREQUENCIES	50 - 150 Hz adjustable
CABINET SURFACE	Ebony Black / Ivory White
DIMENSIONS (WxHxD)	350 x 465 x 445 mm
WEIGHT	19.5 kg

Shipping quantity: Single
Product number: D1348050 (Ebony Black)
D1348052 (Ivory White)

AMBIENT SERIES




True sound, without boundaries

Universal on-wall speaker system that can be expanded to a large home cinema setup
Flat format with 3 different front covers for **perfect integration** in a living room environment

Pre-mounted flat wall bracket / prepared for VESA standard bracket

New Fluktus tweeter with 25 mm fabric dome and computer-optimised multi-corrugated front panel for **perfect dispersion characteristics**

Woofer-midrange with light long-fibre cone, flat long-fibre dustcap, long-throw surround and high-performance voice coil, **optimised for low-distortion** signal transmission



AMBIENT SERIES



Ambient 44 F

WALL MOUNTED SPEAKER

PRINCIPLE	2 way bass reflex
EQUIPMENT	2 x 5" woofer-midrange
POWER HANDLING (RMS/Max)	80 / 140 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	45 - 42.500 Hz
CROSSOVER FREQUENCIES	2.500 Hz
RECOMMENDED AMPLIFIER OUTPUT	20 - 140 W
SENSITIVITY	90 dB
CABINET COLOR	Satin Black / Satin White
DIMENSIONS (WxHxD)	225 x 780 x 85 mm
DIMENSIONS (WxHxD) (with front cover and wall mount)	225 x 780 x 102 mm
WEIGHT	6.8 kg
WEIGHT (with front cover)	7.2 kg

Shipping quantity: Single

Product number: D1367040 (Satin Black)
D1367042 (Satin White)



Ambient 22 F

WALL MOUNTED SPEAKER

PRINCIPLE	2 way bass reflex
EQUIPMENT	1 x 5" woofer-midrange
POWER HANDLING (RMS/Max)	70 / 120 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	50 - 42.500 Hz
CROSSOVER FREQUENCIES	2.500 Hz
RECOMMENDED AMPLIFIER OUTPUT	20 - 120 W
SENSITIVITY	88 dB
CABINET COLOR	Satin Black / Satin White
DIMENSIONS (WxHxD)	225 x 455 x 85 mm
DIMENSIONS (WxHxD) (with front cover and wall mount)	225 x 455 x 102 mm
WEIGHT	4.3 kg
WEIGHT (with front cover)	4.5 kg

Shipping quantity: Single

Product number: D1367020 (Satin Black)
D1367022 (Satin White)

AMBIENT SERIES

Ambient 11 F

WALL MOUNTED SPEAKER



PRINCIPLE	2 way
EQUIPMENT	1 x 4" woofer-midrange
POWER HANDLING (RMS/Max)	50 / 90 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	62 - 42.500 Hz
CROSSOVER FREQUENCIES	2.800 Hz
RECOMMENDED AMPLIFIER OUTPUT	20 - 80 W
SENSITIVITY	97 dB
CABINET COLOR	Satin Black / Satin White
DIMENSIONS (WxHxD)	180 x 300 x 77 mm
DIMENSIONS (WxHxD) (with front cover and wall mount)	180 x 300 x 94 mm
WEIGHT	2.85 kg
WEIGHT (with front cover)	3.0 kg

Shipping quantity: Pair

Product number: D1367011 (Satin Black)
D1367012 (Satin White)

Ambient Sub 88 F

ACTIVE COMPACT SUBWOOFER



PRINCIPLE	Powered compact subwoofer, bass reflex
EQUIPMENT	1 x 8" active subwoofer
POWER HANDLING (RMS/Max)	125 / 250 W
FREQUENCY RANGE	25 - 150 Hz
CROSSOVER FREQUENCIES	50 - 150 Hz, adjustable
CABINET COLOR	Satin Black / Satin White
DIMENSIONS (WxHxD)	380 x 160 x 500 mm
WEIGHT	9.0 kg

Shipping quantity: Single

Product number: D1367046 (Satin Black)
D1367048 (Satin White)

VICTA ELITE SERIES



Timeless design with strong inner values

Woofer and midrange with HECO kraft paper membranes for neutrality and natural tones

New Fluktus Tweeter with 28 mm fabric dome and computer-optimised multi-corrugated front panel for **perfect dispersion characteristics**

Bass reflex construction with two **flow-optimized** and screw mounted reflex tubes

Easy load for various amplifiers and different sound pressure levels thanks to high sensitivities

Timeless and robust silk matt decor in black and white



VICTA ELITE SERIES



Victa Elite 702

FLOORSTANDING SPEAKER

PRINCIPLE	3 way bass reflex, floorstanding speaker
EQUIPMENT	2 x 6.5" woofer, 1 x 6.5" midrange, 1.1" dome-tweeter
POWER HANDLING (RMS/Max)	170 / 300 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	25 - 40.000 Hz
CROSSOVER FREQUENCIES	350 Hz, 3.000 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 300 W
SENSITIVITY	91 dB
CABINET COLOR	Black / White
DIMENSIONS (WxHxD)	230 x 1050 x 310 mm
DIMENSIONS (WxHxD)	230 x 1050 x 330 mm (incl. spikes and baseplate)
WEIGHT	17.6 kg

Shipping quantity: Single

Product number: D134804 (Black)
D134806 (White)



Victa Elite 302

BOOKSHELF SPEAKERS

PRINCIPLE	2 way bass reflex, bookshelf speaker
EQUIPMENT	1 x 6.5" woofer-midrange, 1.1" dome-tweeter
POWER HANDLING (RMS/Max)	80 / 150 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RANGE	33 - 40.000 Hz
CROSSOVER FREQUENCIES	3.000 Hz
RECOMMENDED AMPLIFIER OUTPUT	30 - 150 W
SENSITIVITY	90 dB
CABINET COLOR	Black / White
DIMENSIONS (WxHxD)	202 x 352 x 310 mm
WEIGHT	6.7 kg

Shipping quantity: Pair

Product number: D1345802P (Black)
D1345803P (White)

VICTA ELITE SERIES

Victa Elite 202

COMPACT BOOKSHELF SPEAKERS



PRINCIPLE	2-way bass reflex, bookshelf speaker
EQUIPMENT	1 x 5" woofer-midrange, 1.1" dome-tweeter
POWER HANDLING (RMS/Max)	65 / 120 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RESPONSE	35 - 40.000 Hz
CROSSOVER FREQUENCIES	3.100 Hz
RECOMMENDED AMPLIFIER OUTPUT	20 - 120 W
CABINET SURFACE	Black / White
DIMENSIONS (WxHxD)	175 x 292 x 225 mm
WEIGHT	4.4 kg

Shipping quantity: Pair

Product number: D1345800P (Black)
D1345801P (White)

Victa Elite Center 102

CENTER CHANNEL



PRINCIPLE	2-way bass reflex, center speaker
EQUIPMENT	2 x 5" woofer-midrange, 1.1" dome-tweeter
POWER HANDLING (RMS/Max)	80 / 150 W
IMPEDANCE	4 - 8 Ohms
FREQUENCY RESPONSE	35 - 40.000 Hz
CROSSOVER FREQUENCIES	3.100 Hz
RECOMMENDED AMPLIFIER OUTPUT	20 - 150 W
SENSITIVITY	90 dB
CABINET SURFACE	Black / White
DIMENSIONS (WxHxD)	480 x 162 x 260 mm
WEIGHT	6.4 kg

Shipping quantity: Single

Product number: D134806 (Black)
D134807 (White)

Victa Elite Sub 252 A

ACTIVE SUBWOOFER



PRINCIPLE	Powered bass reflex subwoofer
EQUIPMENT	10" powered subwoofer
POWER HANDLING (RMS/Max)	100 / 200 W
FREQUENCY RESPONSE	22 - 150 Hz
CROSSOVER FREQUENCIES	50 - 150 Hz adjustable
MAINS VOLTAGE	50 Hz / 60 Hz
CABINET SURFACE	Black / White
DIMENSIONS (WxHxD)	322 x 458 x 405 mm
DIMENSIONS (WxHxD)	334 x 458 x 410 mm (incl. baseplate)
WEIGHT	15.9 kg

Shipping quantity: Single

Product number: D134808 (Black)
D134809 (White)

200 AM - ATMOS SPEAKER



Coaxial loudspeaker specially developed in accordance with the strict Atmos guidelines

Stable, coated steel cage with **high-quality trim ring** secured with 6 screws

Solid and attractive enclosure in console form with **high-quality gloss lacquer finish**

High-quality connecting terminal with solid, gold-plated and capsulated screw connectors

20 mm tweeter with silk-compound cone and acoustic equalizer

125 mm woofer-midrange with lightweight long-fiber diaphragm and **highly durable voice coil**



200 AM - ATMOS SPEAKER

200 AM - Atmos Speaker

CLOSED 2-WAY ADDITIONAL ATMOS SPEAKER



PRINCIPLE	2-way, closed box
EQUIPMENT	5" coaxial speaker
POWER HANDLING (RMS/Max)	40 / 100 W
IMPEDANCE	6 Ohms
FREQUENCY RESPONSE	50 - 35.000 Hz
CROSSOVER FREQUENCIES	3.500 Hz
RECOMMENDED AMPLIFIER OUTPUT	20 - 100 W
SENSITIVITY	88 dB
CABINET SURFACE	Piano Black / Piano White
DIMENSIONS (WxHxD)	160 x 141 x 321 mm
WEIGHT	2.8 kg

Shipping quantity: Pair

Product number: D1350600 (Piano Black)
D1350602 (Piano White)

HECO®