

Klipsch®

CUSTOM SERIES

B E H I N D T H E R A N G E

Klipsch®
REAL CUSTOM CINEMA

PERFECT FOR MULTI ROOM AUDIO SYSTEMS

GREAT SOUND IN EVERY ROOM

Get the Klipsch Signature Horn-Loaded performance, at incredible value. Using the same design principles of the premium architectural and box speaker lines, the Klipsch Custom Series delivers true Klipsch sound to any budget.

Utilizing Klipsch Patent-Pending SkyHook™ Tool-Free Installation System, your install time is reduced by 75%.

Usually, in-ceiling speakers take just as long to install, regardless of their level of quality, which makes smaller jobs take just as long as the big ones. Thanks to Klipsch's Patent-Pending Skyhook system, installation of Custom Series speakers is simple and easy. Installation takes a fraction of the time it used to take, allowing you to focus on other parts of the job, or move on to the next job and leave the customer to enjoy their new speakers.

Klipsch Custom Series In-Ceiling speakers use a bezel-free, paintable, magnetic grille, which can make the speakers nearly invisible once installed. Perfect for multi-room audio systems where you want to focus on the music, not the speakers.

Nobody should be burdened with bad speakers just because they don't have as much money. Klipsch Custom Series speakers still provide the quality of sound that Klipsch is known for, at a price anybody can afford.



SHIPPING QUANTITY: SINGLE

PART NUMBER

1068521

CUSTOM SERIES

CS-16C II 6.5" IN-CEILING SPEAKER

FREQUENCY RANGE	57Hz-20KHz +/- 3dB
HIGH FREQUENCY DRIVER	1" (2.54cm) Polymer Dome Tweeter
LOW FREQUENCY DRIVER	6.5" (16.51cm) Polymer Woofer
SENSITIVITY	91 dB @ 2.83V / 1m
POWER HANDLING	40W RMS / 160W Peak
IMPEDANCE	8 Ohm Compatible
ENCLOSURE MATERIAL/TYPE	ABS/Infinite Baffle
FINISH	Black Baffle/Frame, White Paintable Grille
PRODUCT DIMENSIONS	9.2" W x 9.2" H x 4.5" D (23.6cm H x 23.6cm W x 11.3cm D)
DIAMETER	9.3" (23.6cm)
CUTOUT DIAMETER	7.99" (20.3cm)
MOUNTING DEPTH	3.91" (9.9cm)
PRODUCT WEIGHT	5.1 lbs (2.3 kg)
SHIPPING WEIGHT	5.7 lbs (2.6 kg)
INCLUDED IN BOX	Round Flat Paintable Magnetic Grille
INSTALL KIT	IK-650-C II (Sold Separately)
FIRE RATED ENCLOSURE	ME-650-C (Sold Separately)
SECURE FIT BRACKET	PRO-6-SBR

SKYHOOK™ TOOL-FREE INSTALLATION SYSTEM

The exclusive installation system engages the dog legs automatically when the speaker is inserted into the cutout hole with a preset clamping force, eliminating the possibility of overtorquing.

This fast, easy installation system reduces install time by up to 75%.



SHIPPING QUANTITY: SINGLE

PART NUMBER

1068523

CUSTOM SERIES

CS-16CSM 6.5" STEREO IN-CEILING SPEAKER

FREQUENCY RANGE	57Hz-20KHz +/- 3dB
HIGH FREQUENCY DRIVER	Dual .75" (1.9cm) Polymer Dome Tweeters
LOW FREQUENCY DRIVER	6.5" (16.51cm) Dual Voice Coil Polymer Woofer
SENSITIVITY	91dB @ 2.83V / 1m
POWER HANDLING	40W RMS / 160W Peak
IMPEDANCE	8 Ohm Compatible
ENCLOSURE MATERIAL/TYPE	ABS/Infinite Baffle
FINISH	Black Baffle/Frame, White Paintable Grille
PRODUCT DIMENSIONS	9.2" W x 9.2" H x 4.5" D (23.6cm H x 23.6cm W x 11.3cm D)
DIAMETER	9.3" (23.6cm)
CUTOUT DIAMETER	7.99" (20.3cm)
MOUNTING DEPTH	3.99" (10.1cm)
PRODUCT WEIGHT	7 lbs (3.18 kg)
SHIPPING WEIGHT	16.5 lbs (7.5 kg)
INCLUDED IN BOX	Round Flat Paintable Magnetic Grille
INSTALL KIT	IK-650-C II (Sold Separately)
FIRE RATED ENCLOSURE	ME-650-C (Sold Separately)
SECURE FIT BRACKET	PRO-6-SBR



SKY HOOK™
BY SWARM PATENT PENDING

SHIPPING QUANTITY: SINGLE

PART NUMBER

1068522

CUSTOM SERIES

CS-18C 8" IN-CEILING SPEAKER

FREQUENCY RANGE	55Hz-20KHz +/- 3dB
HIGH FREQUENCY DRIVER	1" (2.54cm) Polymer Dome Tweeter
LOW FREQUENCY DRIVER	8" (20.32cm) Polymer Woofer
SENSITIVITY	92dB @ 2.83V / 1m
POWER HANDLING	40W RMS / 160W Peak
IMPEDANCE	8 Ohm Compatible
ENCLOSURE MATERIAL/TYPE	ABS/Infinite Baffle
FINISH	Black Baffle/Frame, White Paintable Grille
PRODUCT DIMENSIONS	9.2" W x 9.2" H x 4.5" D (23.6cm H x 23.6cm W x 11.3cm D)
DIAMETER	10.88" (27.6cm)
CUTOUT DIAMETER	9.57" (24.3cm)
MOUNTING DEPTH	4.17" (10.6cm)
PRODUCT WEIGHT	6.4 lbs (2.9 kg)
SHIPPING WEIGHT	7.4 lbs (3.36 kg)
INCLUDED IN BOX	Round Flat Paintable Magnetic Grille
INSTALL KIT	IK-800-C II (sold separately)
FIRE RATED ENCLOSURE	ME-800-C (sold separately)
SECURE FIT BRACKET	PRO-8-SBR



SKY HOOK™
BY SWARM PATENT PENDING

SHIPPING QUANTITY: SINGLE


PART NUMBER

1068524

CUSTOM SERIES

CS-16W 6.5" IN-WALL SPEAKER

FREQUENCY RANGE	57Hz-20kHz +/- 3dB
HIGH FREQUENCY DRIVER	1" (2.54cm) Polymer Dome Tweeter
LOW FREQUENCY DRIVER	6.5" (16.5cm) Polymer Woofer
SENSITIVITY	91dB @ 2.83V / 1m
POWER HANDLING	40W RMS / 160W Peak
IMPEDANCE	8 Ohm Compatible
ENCLOSURE MATERIAL/TYPE	ABS/Infinite Baffle
FINISH	Black Baffle/Frame, White Paintable Grille
PRODUCT DIMENSIONS	9.11" W x 14.23" H x 3.43" D (23.1cm H x 36.1cm W x 8.7cm D)
CUTOUT DIMENSIONS	7.87" W X 12.99" H (20cm W X 33cm H)
MOUNTING DEPTH	3.28" (8.3cm)
PRODUCT WEIGHT	7.2 lbs. (3.25kg)
SHIPPING WEIGHT	8.26 lbs (3.75 kg)
INCLUDED IN BOX	Round Flat Paintable Magnetic Grille
INSTALL KIT	IK-650-W II (sold separately)
FIRE RATED ENCLOSURE	ME-650-W (sold separately)



SKY HOOK™
BY SWARM PATENT PENDING